

# GROWTH

# ENGAGE P-K

## LIQUID PHOSPHITE FERTILISER

### N:P:K 0:24:30

Typical Analysis

% W/V

Phosphorus (P) 24

Potassium (K) 30

Chlorine 0.01

Derived from P<sub>2</sub>O<sub>4</sub> and Potassium Hydroxide

## GROWTH AGRICULTURE PTY LTD

ABN 98 849 457 234

70 BOOLCARROL ROAD, WEE WAA NSW 2388

Phone: 02 6795 3787 Freecall: 1800 440 438 Fax: 02 6795 3803

Email: info@growthag.com.au

## CONTENTS

## LITRES

CROPS	RATE L/ha	CRITICAL COMMENTS
Citrus, Avocados, Tree fruits, Nuts	2 to 4	Apply first application at pre-bloom. Additional applications can be made every two weeks as required.
Cotton	2 to 4	
Blueberries, Cranberries, Cane Berries	1 to 2	
Beans, Beets, Broccoli, Cauliflower, Cucurbits, Garlic, Lettuce, Leafy Vegetables, Melons, Onions, Peas, Peppers, row crops, Spinach, Strawberries, Tomatoes	2 to 4	Apply first application after transplanting or thinning. Apply one or two subsequent applications at 10 to 15 day intervals as needed to meet nutritional needs.
Grapes	2 to 4	Apply first application at pre-bloom with subsequent applications at 2 to 4 week intervals.
Potatoes, Sweet Potatoes, Tuber Crops	1 to 4	Apply every 10 – 30 days.
Hops Grain, Spearmint, Peppermint	1 to 4	Apply first application at 8 – 10 cm of new growth. Additional applications may be made every two weeks thereafter.

#### GENERAL INSTRUCTIONS:

- GROWTH ENGAGE P-K is a nutrient foliar spray which is intended to be used as a supplement to a regular feeding program. Tissue and soil tests are recommended to determine the ideal rate.
- The application rates may vary according to soil fertility levels, fertiliser history, location, climate and the requirements of any farm or crop. For further advice contact GROWTH AGRICULTURE Pty Ltd on FREECALL 1800 440 438.

COMPATIBILITY: GROWTH ENGAGE P-K mixes well with most spray chemicals, but ALWAYS TEST FOR COMPATIBILITY FIRST.

APPLICATION: When applying by ground sprayers, use with a minimum of 100 L of water per ha. When used in aerial application use at least 30 L of water per ha.

#### STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. DO NOT store material that has been mixed with water – it will not keep. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS: Wash hands after use. Avoid contact with skin and eyes. DO NOT SWALLOW.

FIRST AID: If swallowed, do NOT induce vomiting. For advice, contact a Poisons Information Centre (Phone Australia 13 1126) or a doctor at once. If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

MATERIAL SAFETY DATA SHEET: Additional Information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE: GROWTH AGRICULTURE PTY LTD shall not be liable for any loss, injury or damage whether consequential or otherwise, whatsoever or howsoever arising, whether through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on GROWTH AGRICULTURE'S skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of GROWTH AGRICULTURE PTY LTD has any authority to alter these conditions.

Batch No.

DOM